

Serial No. 09/996,074
Page 8 of 17

REMARKS

This response is intended as a full and complete response to the final Office Action mailed on November 24, 2004. In the Office Action, the Examiner notes that claims 1-18 and 20-30 are pending, of which claims 1-18 and 20-30 stand rejected. By this response, claims 1 and 17 are amended, and claims 2-16, 18, and 20-30 continue unamended.

In view of the following discussion, the Applicants submit that none of the claims now pending in the application are anticipated or obvious under the provisions of 35 U.S.C. §§102 or 103. Thus, the Applicants believe that all these claims are now in allowable form.

It is to be understood that the Applicants, by amending the claims, do not acquiesce to the Examiner's characterizations of the art of record or to the Applicants' subject matter recited in the pending claims. Further, the Applicants are not acquiescing to the Examiner's statements as to the applicability of the prior art of record to the pending claims by filing the instant responsive amendments.

REJECTIONS

35 U.S.C. §102

Claims 1-4, 10 and 11

The Examiner has rejected claims 1, 2, 3, 4, 10 and 11 under 35 U.S.C. §102(b) as being anticipated by Birk (USPN 5592612A, hereinafter "Birk"). Applicants respectfully traverse the rejection.

Applicants' independent claim 1 recites:

"A method for streaming content striped in RAID 5 format from an array of disk drives to a plurality of subscribers to minimize disruptive service from a disk drive failure, said method comprising:

accessing content data striped in said RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array;

streaming the content data to the plurality of subscribers on an extent-by-extent basis, sequentially, from the plurality of disk drives;
detecting an actual disk drive failure;
transitioning to a stream regeneration mode of operation
comprising:

320969-1

BEST AVAILABLE COPY

Serial No. 09/996,074
Page 9 of 17

reading the content data contemporaneously from all extents in a parity group associated with a failed disk drive;
regenerating a failed portion of the content data from a failed extent in the parity group corresponding to the failed disk drive; and
streaming the content data in the parity group to the plurality of subscribers, extent-by-extent, immediately following the regenerating of the content data from the failed extent in the parity group." (emphasis added).

Anticipation requires the presence in a single prior art reference disclosure of each and every element of the claimed invention, arranged as in the claim" (*Lindemann Maschinenfabrik GmbH v. American Holst & Derrick Co.*, 730 F.2d 1452, 221 USPQ 481, 485 (Fed. Cir. 1984)(citing *Connell v. Sears, Roebuck & Co.*, 722 F.2d 1542, 220 USPQ 193 (Fed. Cir. 1983)).

Birk teaches randomly-ordering the M disk drives repeatedly to form a sequence; selecting the first K data chunks of a video title; recording the data chunks on the next K disk drives in the sequence; determining a parity chunk for the K data chunks; recording the parity chunk on the next disk drive; and if there are more data chunks for storing, selecting the next K data chunks of the video title and recording the next K data chunks on the next K disk drives in the sequence. (see Birk, FIG. 2 and column 6, line 41 through column 7, line 33).

The Birk reference differs from the Applicants' invention since the Birk reference fails to teach, or even suggest "accessing content data striped in said RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array." That is, the Birk reference discloses that the M disk drives are randomly ordered, repeatedly, to form a sequence. For example, if there are M disk drives in an array, the M disk drives may illustratively be randomly ordered in a sequence such as 2, 7, 4, 1, 9, 6, 5, 3, 8. The random order of the M disk drives is then repeated, illustratively as in the order of disk 4, 9, 3, 7, 1, 6, 2, 8, 5, and so forth.

By contrast, the Applicants invention provides that the information to be accessed is stored in a RAID 5 striped format. As shown in FIG. 2 of the Applicants' invention, a RAID 5 format for storing data includes sequentially storing the data in a continuous manner across the disk drives. For example, FIG. 2 illustratively shows 12

Serial No. 09/996,074
Page 10 of 17

disk drives, where an exemplary file such as file A is stored sequentially across the disks in a sequential order, as opposed to a random order. Referring to FIG. 2 of the Applicants' invention, the content in extents A0-A3 are respectively stored in disk D3-D6, and the parity for the extents A0-A3 is stored in disk D7. Similarly, data extents A4-A7 are stored sequentially in disk D7-D10, and the parity extent for data extents A4-A7 is stored in disk D11 and so forth. Accordingly, the sequential order of storing data in the RAID 5 format is different than the teachings of the Birk reference, which discloses randomly ordering the M disk drives repeatedly to form a sequence. Therefore, since the Birk reference fails to teach "accessing content data striped in said RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array," the Birk reference fails to teach each and every element of the claimed invention, as arranged in the claim.

As such, the Applicants submit that independent claim 1 is not anticipated under 35 U.S.C. §102 and is fully patentable thereunder. Furthermore, claims 2, 3, 4, 10 and 11 depend, either directly or indirectly, from independent claim 1 and recite additional limitations thereof. As such and for at least the same reasons, the Applicants submit that these dependent claims are not anticipated under 35 U.S.C. §102 and are fully patentable thereunder. Therefore, the Applicants respectfully request that the rejections of claims 1, 2, 3, 4, 10 and 11 be withdrawn.

35 U.S.C. §103

Claims 5-9, 12-16

The Examiner has rejected claims 5-9, 12-16 under 35 U.S.C. §103(a) as being unpatentable over Birk in view of Peters et al. (USPN 6415373, hereinafter "Peters"). The Applicants respectfully traverse the rejection.

The test under 35 U.S.C. §103 is not whether an improvement or a use set forth in a patent would have been obvious or non-obvious; rather the test is whether the claimed invention, considered as a whole, would have been obvious. Jones v. Hardy, 110 U.S.P.Q. 1021, 1024 (Fed. Cir. 1984) (emphasis added). Thus, it is impermissible to focus either on the "gist" or "core" of the invention, Bausch & Lomb, Inc. v. Barnes-

Serial No. 09/996,074
Page 11 of 17

Hind/Hydrocurve, Inc., 230 U.S.P.Q. 416, 420 (Fed. Cir. 1986). Moreover, the invention as a whole is not restricted to the specific subject matter claimed, but also embraces its properties and the problem it solves. In re Wright, 6 U.S.P.Q. 2d 1959, 1961 (Fed. Cir. 1988) (emphasis added).

Claims 5-9 and 12-16 are dependent directly or indirectly upon independent claim 1 and include additional features thereof.

Claim 5 (and similarly claims 6-9 and 12-16), which included the features of independent claim 1, recites in part:

"A method for streaming content striped in RAID 5 format from an array of disk drives to a plurality of subscribers to minimize disruptive service from a disk drive failure, said method comprising:
accessing content data striped in said RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array;

streaming the content data to the plurality of subscribers on an extent-by-extent basis, sequentially, from the plurality of disk drives;
detecting an actual disk drive failure;
transitioning to a stream regeneration mode of operation
comprising:

reading the content data contemporaneously from all extents in a parity group associated with a failed disk drive;
regenerating a failed portion of the content data from a failed extent in the parity group corresponding to the failed disk drive; and
streaming the content data in the parity group to the plurality of subscribers, extent-by-extent, immediately following the regenerating of the content data from the failed extent in the parity group."

Birk does not teach or suggest "accessing content data striped in said RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array." As discussed above, with respect to the 35 U.S.C. §102 rejection, Birk merely discloses striping information by randomly ordering the M disk drives, repeatedly, to form a sequence of disk drives, and then storing the data on the randomly ordered sequence of disk drives.

Furthermore, Peters fails to bridge the substantial gap as between Birk and the Applicants' invention. Specifically, Peters discloses "[a]fter a storage unit fails, a new storage unit may be installed in its place, with lost data restored, or the lost data may be

Serial No. 09/996,074
Page 12 of 17

recreated and distributed over the remaining storage units." (See Peters, column 15, lines 37-40).

Therefore, even if the two references could somehow be operably combined, the combination would disclose storing information across a plurality of repeatedly randomly ordered disk drives, and installing a new disk drive to replace the failed disk drive. Accordingly, the Applicants' invention is different from the cited references, since the data is not striped in a RAID 5 format, and then accessed on an extent-by-extent basis from the plurality of disk drives, as claimed by the Applicants. Furthermore, the Applicants' invention solves the problem of reducing latency when distributing content in a failure mode of operation (i.e., disk failure). Specifically, the Applicants' invention utilizes a RAID 5 format, which distributes data sequentially in a round-robin ordered sequence. By contrast, Birk stores data in a random order, which requires more processing time to distribute the content in a failure mode of operation. Therefore the combined references fail to teach or suggest Applicants' invention as a whole.

As such, the Applicants submit that independent claim 1 is not obvious and fully satisfies the requirements of 35 U.S.C. §103 and is patentable over Birk in view of Peters. For at least the same reasons as discussed above, the Applicants submit that dependent claims 5-9 and 12-16 are also not obvious and fully satisfy the requirements of 35 U.S.C. §103 and are patentable thereunder. Therefore, the Applicants respectfully request that the Examiner's rejection of claims 5-9 and 12-16 be withdrawn.

Claims 17-22

The Examiner has rejected claims 17-22 under 35 U.S.C. §103(a) as being unpatentable over Birk in view of Brady et al. (USPN 5727144, hereinafter "Brady"). Applicants respectfully traverse the rejection.

Applicants' independent claim 17 recites:

"A method for streaming content striped in RAID 5 format from an array of disk drives to a plurality of subscribers to minimize disruptive service from a disk drive failure, said method comprising:
accessing content data striped in said RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array;

Serial No. 09/996,074
Page 13 of 17

streaming the content data to the plurality of subscribers on an extent-by-extent basis, sequentially, from the plurality of disk drives;
predicting a disk drive failure;
writing content data from a the disk drive predicted to fail to spare extents on non-failed disk drives in the array;
detecting at least one of an actual failure and removal of the disk drive predicted to fail;
transitioning, in response to the detecting step, a recovery-carousel-serving mode of operation comprising:
streaming pseudo-sequentially, extent-by-extent, content data of each parity group to the plurality of subscribers, where the regenerated content data in a spare extent of each parity group is streamed out of sequence;
wherein in an instance where the disk drive predicted to fail fails prior to said writing step, said method further comprises transitioning to a stream regeneration mode of operation comprising:
reading the content data contemporaneously from all extents in a parity group;
regenerating a failed portion of the content data from a failed extent in the parity group corresponding to the failed disk drive; and
streaming the content data in the parity group to the plurality of subscribers, extent-by-extent, immediately following the regenerating of the content data from the failed extent in the parity group." (emphasis added).

As discussed above, Birk fails to disclose each and every element of the claimed invention, as arranged in the claim. In particular, Birk does not teach or suggest "accessing content data striped in said RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array." As discussed above, with respect to the 35 U.S.C. §102 rejection, Birk merely discloses striping information by randomly ordering the M disk drives repeatedly to form a sequence of disk drives, and then storing the data on the randomly ordered sequence of disk drives.

Furthermore, Brady fails to bridge the substantial gap as between Hanko and the Applicants' invention. Specifically, Brady discloses

"[I]n a data processing system employing a disk array, prediction of a possible failure of a disk drive initiates copying of the data away from the potentially failing disk drive to a spare disk drive before the failing drive actually fails. If the disk drive does fail before the copying of the contents to a spare disk drive is completed, rebuilding of the remaining contents

Serial No. 09/996,074
Page 14 of 17

within the failing disk drive is performed. When a warning of an imminent disk failure is received, the present invention proceeds to copyaway state 21, wherein data is copied away from failing drive 110 to spare drive 112. When copyaway completes, the present invention returns to normal mode 20. It is well-known by those skilled in the art how to copy contents of drive 110 to drive 112.

Failing disk 110 may fail before the copyaway procedure is completed. In that case, a transition to rebuild mode 24 is performed, wherein a rebuilding of those portions of disk drive 110 that had not yet been copied away is performed.

Another error situation shown is when a disk other than the one for which the warning was initiated fails without warning (e.g., disk 111). For example, assume that a warning was initiated because of a pending failure of disk 110, which initiated I/O controller 180 to begin copying away from disk 110 to disk 112 in copyaway mode 21. During copyaway of disk 110, suppose that disk 111 fails. In this instance, a transition is made to the high priority copyaway state 22, where copyaway is given high priority and is no longer done in the background. This is because if disk 110 were to fail before copyaway of 110 completes, data would be lost. If copyaway does complete before disk 110 fails, a transition is made to rebuild state 24 where the contents of failed disk 111 are rebuilt." (See, Brady, Abstract, column 4, lines 15-38.)

Therefore, even if the two references could somehow be operably combined, the combination would merely disclose storing data on a plurality of disk drives by randomly ordering the plurality of disk drives repeatedly to form a sequence prior to storing the data on the disk drives, and predicting a failure of a disk drive. Accordingly, the Applicants' invention is different from the cited references, since the Applicants' invention accesses content data striped in a RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array, as claimed by the Applicants.

Furthermore, the Applicants' invention solves the problem of reducing latency when distributing content in a failure mode of operation (i.e., disk failure). Specifically, the Applicants' invention utilizes a RAID 5 format, which distributes data in a round-robin ordered sequence. By contrast, Birk stores data in a random order, which requires more processing time to distribute the content in a failure mode of operation. Therefore the combined references fail to teach or suggest the Applicants' invention as a whole.

320969-1

Serial No. 09/996,074
Page 15 of 17

As such, the Applicants submit that claim 17 is not obvious and fully satisfies the requirements of 35 U.S.C. §103 and is patentable thereunder. Claims 18-22 depend, directly or indirectly, from claim 17 and recite similar features thereof. As such, and for at least the same reasons as discussed above, the Applicants submit that claims 18-22 are also not obvious and fully satisfy the requirements of 35 U.S.C. §103 and are patentable thereunder. Therefore, the Applicants respectfully request that the rejections be withdrawn.

Claims 23-27

The Examiner has rejected claims 23-27 under 35 U.S.C. §103(a) as being unpatentable over Birk in view of Brady in further view of Peters.

For at least the reasons discussed above, Applicants submit that independent claim 17 is not obvious and is patentable over Birk in view of Brady. Claims 23-27 depend, directly or indirectly, upon independent claim 17 and recite similar features thereof. As such, and for at least the same reasons as discussed above, the Applicants submit that claims 23-27 are also not obvious and fully satisfy the requirements of 35 U.S.C. §103 and are patentable over Birk in view of Brady.

Furthermore, Peters fails to bridge the substantial gap as between Birk and Brady and the Applicants' invention. Specifically, as discussed above, Peters discloses installing a new disk drive to replace a failed disk drive in an array. (See Peters, column 15, lines 37-40).

Even if the three references could somehow be operably combined, the combination would disclose randomly ordering the plurality of disk drives repeatedly to form a sequence of disk drives, storing data chunks on the randomly ordered plurality of drives, predicting disk failures, and replacing a failed disk drive with a new disk drive. Therefore, the combined references fail to teach or suggest the Applicants' invention as a whole, since the combined references fail to teach or suggest "accessing content data striping said RAID 5 format, on an extent-by-extent basis, from a plurality of disk drives configured in an array."

Serial No. 09/996,074
Page 16 of 17

As such, the Applicants submit that independent claim 23 is not obvious and fully satisfies the requirements of 35 U.S.C. §103 and is patentable over Birk and Brady in view of Peters. For at least the same reasons as discussed above, the Applicants submit that dependent claims 24-27 are also not obvious and fully satisfy the requirements of 35 U.S.C. §103 and are patentable thereunder. Therefore, the Applicants respectfully request that the Examiner's rejection of claims 23-27 be withdrawn.

Serial No. 09/996,074
Page 17 of 17

Conclusion

Thus, the Applicants submit that claims 1-18 and 20-30 are in condition for allowance. Accordingly, both reconsideration of this application and its swift passage to issue are earnestly solicited.

If, however, the Examiner believes that there are any unresolved issues requiring adverse final action in any of the claims now pending in the application, it is requested that the Examiner telephone Steven M. Hertzberg or Eamon J. Wall, Esq. at (732) 530-9404 so appropriate arrangements can be made for resolving such issues as expeditiously as possible.

Respectfully submitted,

1/5/05

EJ Wall

EAMON J. WALL, Attorney
Reg. No. 39,414
(732) 530-9404

Moser, Patterson & Sheridan, LLP
Attorneys at Law
595 Shrewsbury Avenue, Suite 100
Shrewsbury, New Jersey 07702